

Production/Admin:
Date
Received/Costing
Initials

11/07/04
JY

Location

Initials of receiver (if shipment OK) Level 12

| Part Number | Description | Quantity Ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
|-------------|-------------|------------------|-------------------|-------------------|----------------|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Discrepancies

Packing Slip:
Invoice:
Receipt:

Yes
No
Cash
Cr

Supplier: Hughes Aircraft

Date: 11/04/30

Receiving Report

Batch No:

M118182

Part P/O:

14379

Release Note Attached:

Yes

No

Waybill Attached:

Yes

No

Shipment Complete:

Yes

No

QC6 Inspection

OK 11/06/30

Work Order

N/A

N/A

N/A

N/A

Purchase Order Receipt Listing

Monday, July 04, 2011 8:05:23 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO14379 All Receipt Dates All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Sid | PO U/M/ Stock U/M | Required Date Required Qty | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Book Amt |
|---------------------------------------------------------------|-----------------------|------------|----------------------------------------|----------------------|-------------------------------|------------------------|----------------------|------------------------------|--------------------------------------------|----------------------------|----------|
| Vendor ID/Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd | | | | | | | | | | | |
| PO14379 | 1 | | M303B1.000X03.000 f | | 7/7/2011 | 7/4/2011 | 12.0000 | \$61.50 | 0.0000 | 0 | \$738.00 |
| CAD | No | | 303 BAR 1" X 3' f | | 12.0000 | LAVO01 | | \$738.00 | 0.0000 | 0 | |
| | | | 118182 | | | | | | | | |
| | 2 | | M6061T6B0.750X01. f | | 6/30/2011 | 7/4/2011 | 60.0000 | \$2.92 | 0.0000 | 0 | \$175.20 |
| | No | | 500 | | | | | | | | |
| | | | 6061-T6 Bar 750 X f | | 60.0000 | LAVO01 | | \$175.20 | 0.0000 | 0 | |
| | | | 1.50 | | | | | | | | |
| | | | 118182 | | | | | | | | |
| | 3 | | M6061T6B2.000X03. f | | 6/30/2011 | 7/4/2011 | 12.0000 | \$18.09 | 0.0000 | 0 | \$217.08 |
| | No | | 500 | | | | | | | | |
| | | | 6061-T6 Bar 2.00 x f | | 12.0000 | LAVO01 | | \$217.08 | 0.0000 | 0 | |
| | | | 3.50 | | | | | | | | |
| | | | 118182 | | | | | | | | |
| | 7 | | M304B0.250X4.000 f | | 6/30/2011 | 7/4/2011 | 24.0000 | \$11.30 | 0.0000 | 0 | \$271.20 |
| | No | | 304 BAR .250 x 4.00 f | | 24.0000 | LAVO01 | | \$271.20 | 0.0000 | 0 | |
| | | | 118182 | | | | | | | | |

Total Received Quantity: 108.0000
Total Qty to Inspect (PO U/M): 0.0000
Total Reject Quantity: 0.0000
Total Receipt Value: \$1,401.48
Total Balance Due Quantity: 0.0000

No: PEC 717893
 Ship Date 28 Jun 11 at 14:31 From PFW
 Via VIM TRANSFER TRUCK
 FOB CONCORD
 Prepaid
 Route 0 - Manifest
 Trailer
 Ship STAN IVERS (905-532-1350)
 Sold To: (20115)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7

Ship From:
 THYSSENKRUPP MATERIALS NA
 2821 LANGSTAFF ROAD
 CONCORD, ONTARIO L4K 5G6
 Tel: 905 669 9444 Fax: 9057389033
 Ship To: (1)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7
 Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

| | |
|----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>MTR</p> <p>Quantity 60 FT</p> <p>PCS 5</p> <p>Wt LBS 79</p> | <p>1) Our Order PEC-345358- 1 Your PO # 14379</p> <p>ALUMINUM FLAT BAR 6061-T6511</p> <p>.750" X 1.50" X 144.0000"</p> <p>Heat Number 2BN859</p> <p>Tag No 208808</p> |
| <p>MTR</p> <p>Quantity 12 FT</p> <p>PCS 1</p> <p>Wt LBS 100</p> | <p>2) Our Order PEC-345358- 2 Your PO # 14379</p> <p>ALUMINUM FLAT BAR 6061-T6511</p> <p>2.00" X 3.50" X 144.0000"</p> <p>Heat Number 201107796</p> <p>Tag No 208809</p> |
| <p>MTR</p> <p>Quantity 64.00 SFT</p> <p>PCS 2</p> <p>Wt LBS 112</p> | <p>3) Our Order PEC-345358- 3 Your PO # 14379</p> <p>ALUMINUM SHEET 6061 T6</p> <p>.1250 Nom X 48.0000" X 96.0000"</p> <p>Heat Number 18310/01</p> <p>Tag No 209010</p> |
| <p>MTR</p> <p>Quantity 160.00 SFT</p> <p>PCS 4</p> <p>Wt LBS 321</p> | <p>4) Our Order PEC-345358- 4 Your PO # 14379</p> <p>STAINLESS STEEL SHEET 304-2B</p> <p>.0480 Nom X 48;0000" X 120.0000"</p> <p>Heat Number YU2574404</p> <p>Tag No 209011</p> |
| <p>MTR</p> <p>Quantity 200.00 SFT</p> <p>PCS 5</p> <p>Wt LBS 501</p> | <p>5) Our Order PEC-345358- 5 Your PO # 14379</p> <p>STAINLESS STEEL SHEET 304-2B</p> <p>.0600 Nom X 48.0000" X 120.0000"</p> <p>Heat Number A1000241</p> <p>Tag No 209013</p> |

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE RAPORTEES IMMEDIATEMENT
 ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
 RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER


Certificate of Mill Test Results

PO/Rel 14379

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Stored by:

BL PEC-717893-001
28 Jun 11
Pg 1/1



TEL: (416)745-4444 FAX: (416)745-0925 1-800-668-7210
411 CHRISLEA ROAD, WOODBRIDGE, ONTARIO, CANADA L4L 8N4
<http://www.extrudex.com>

MILL TEST REPORT

EXTRUDEX ORDER NO. MANIFEST NO.

Mechanical Properties

| <u>Lot</u> | <u>Alloy</u> | <u>Test No.</u> | <u>Test Date</u> | <u>Ultimate Tensile Strength (KSI)</u> | <u>Yield Strength (KSI)</u> | <u>Percent Elongation</u> | <u>Hardness</u> | <u>Conductivity</u> |
|------------|--------------|-----------------|------------------|----------------------------------------|-----------------------------|---------------------------|-----------------|---------------------|
| A-11 | 6061 | 0 | Apr/18/11 | 46.4 | 43.5 | 17.10 | 89.9 90.0 89.5 | |

Chemical Composition

[illegible]

[Signature]

David Natale
Quality Control Manager

1 - CUSTOMER COPY

MILL TEST REPORT



SERVICE CENTER METALS
5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

| | | | | | |
|------------------------------------------|--|--------------------------------|---------------------------------|--------------------------------|-------------------------------------------------|
| BILL TO ThyssenKrupp Materials NA | | MANIFEST NUMBER 132491 | LINE NUMBER RB0148 | DATE OF SHIPMENT 5/27/2011 | CERTIFICATION ASTM-B221-08 StencilContinuous |
| SHIP TO ThyssenKrupp Materials NA PEC | | CUSTOMER PO PEC-230186 | ALLOY / TEMPER 6061-T6511 | SALESPERSON David Schroeder | SPECIFICATION AMS-QQA-200/8 |
| Quantity Certified 1,196 lbs 12 pcs | | CUSTOMER PART NUMBER RB0148 | DESCRIPTION SCRB 2.000x3.500 | | |

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6

SCM extrusions are manufactured in the USA from ingot melted and cast in the United States or Canada.

Mechanical Properties

Test No. Lot No.

1 201107796

| Test Date | Ultimate Tensile Strength (KSI) | Yield Strength (KSI) | Percent Elongation |
|-----------|---------------------------------|----------------------|--------------------|
| 05/18/11 | 48.4 | 43.4 | 17.0 |

Chemical Composition for Aluminum Alloy 6061

| Cast Number | Alloy | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti |
|-------------|-------|------|------|------|------|------|------|------|------|
| 0511055 | 6061 | 0.73 | 0.36 | 0.32 | 0.11 | 0.87 | 0.11 | 0.07 | 0.02 |

Melted In
United States of America



Abnahmeprüfzeugnis 3.1 (EN 10204)
Inspection certificate – mill certificate

Nr.: 85312124 05 / 7
Rev. 0

Zertifiziert nach / certified to ISO 9001, ISO/TS 16949, EN/AS 9100, ISO 14001, NADCAP

Seite / page: 1 von / of 3
Datum / date: 2011 05 19

| | | | |
|----------------------------------------------------------------------------------------------------------|--|-----------------------------------------------|--|
| Auftraggeber / customer: ThyssenKrupp Materials NA 2821 Langstaff Rd CDN-L4K 5C6 CONCORD, ON | | Endkunde, Bestell-Nr. / Your cust., ord. no.: | |
| Warenempfänger / consignee: ThyssenKrupp Materials NA 2821 Langstaff Rd CDN-L4K 5C6 CONCORD, ON | | Akreditiv Nr. / letter of credit no.: | |
| Datum / date: 2011 01 20 | | Datum / date: 2011 05 19 | |
| Bestell-Nr. / order no.: PEC-227573 | | Lieferchein Nr. / delivery note: 85312124 | |
| Datum / date: 2011 01 21 | | Datum / date: 2011 05 19 | |
| Auftragsbest. Nr. / order confirm. no.: 622521 | | Datum / date: 2011 05 19 | |

| | | | |
|-------------------------------------------|--|--------------------------------------------------------|--|
| Produkt/product | | Bedingungen/terms | |
| Form / form: Sheet | | Techn. Lieferbedingungen / techn. spec.: | |
| Werkstoff / material: 6061 | | AMS-QC-A-250/1, 08.1997 | |
| Zustand / temper: T6 | | ASTM B 209 - 07 | |
| Dim. / dim.: [inch]: 0,125x48,00x96,00 | | Material meets also the mech. properties of AMS 4027N, | |
| Kundenartikel-Nr. / customer article no.: | | 07.2008, but not marked | |
| ANSI H35 2-2009 | | ASME SB 209, 2007 | |
| Sondervorschrift / special terms: | | | |

| AB-Pos. | BNr./No./Teilno. | Guss Nr. | Werkstoff | Kollo | Gewicht netto | Stk. |
|------------------------------------------------------------------------------------------------|------------------|--------------|-----------|------------|---------------|------|
| ord.-Item. | Lot/No./Part | cast no. | material | packno. | weight net | pcs. |
| 03 | 18310/01/00 | 01/0043603/1 | 6061.1 | 6225210007 | 3181,217 lbs | 58 |
| 03 | 19498/01/00 | 01/0044393/1 | 6061.1 | 6225210008 | 3392,857 lbs | 62 |
| 03 | 19498/02/00 | 01/0044394/1 | 6061.1 | 6225210009 | 3335,538 lbs | 61 |
| Chemische Zusammensetzung / chemical composition: [%] Gewichtanteile / weight proportion (CES) | | | | | | |
| Guss Nr. / cast no. AMAG designation | | | | | | |
| 01/0043603/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044393/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,77 | 0,47 | 0,22 | 0,12 | 0,91 | 0,15 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,68 | 0,48 | 0,22 | 0,11 | 0,91 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |
| actual | 0,65 | 0,47 | 0,24 | 0,14 | 0,86 | 0,16 |
| 01/0044394/1 | 6061.1 | SI | Fe | Cu | Mn | Mg |

[illegible]


Zugversuch / Tensile test

Zertifiziert nach / certified to ISO 9001, ISO/TS 16949, EN/AS 9100, ISO 14001, NADCAP

Abnahmeprüfzeugnis 3.1 (EN 10204)
Inspection certificate – mill certificate

Rev. 0
Nr.: 85312124 05 / 7

Seite / page: 2 von / of 3
Datum / date: 2011 05 19



THYSSENKRUPP MATERIALS NA

Certificate of Mill Test Results

PO/Rd 14379

ALUMINUM SHEET 6061 T6
1250 Nom X 48.0000" X 96.0000"
PART NO.

resulting from tests made in approved labs.

2830011
BLPEC 717893-003
Signed by: _____
Pg. 2/2

28 Jun 11
Pg. 2/2

THEYSENKRUPP MATERIALS NA

DART AEROSPACE

STAINLESS STEEL SHEET 304.2B
10480 NOMB X 48.0000" X 120.0000"
PART NO.

P.O. Ref 14379

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Certificate of Mill Test Results

HL PEC-717993-004

28/0ml1

Pg 1/1

MILL TEST CERTIFICATES

92



YIEH MAU CORP.

INVOICE NO. : F10M926
COMMODITY : PRIME GOLD ROLLED STAINLESS STEEL SHEET

SPECIFICATION : AISI 304 ASTM A240/A480 and ASME SA304/A480
CUSTOMER : OLBERT METAL SALES LIMITED

345, SHUN AN RD, LIU CHU HSIANG
KAOHSIUNG HSIEN TAIWAN R.O.C.
TEL:(07)6972885 FAX:(07)6973008
CERTIFICATE NO: F10M926
DATE OF ISSUE:09/29/2010

| SIZE | NO. | Weight (N.W.) | | Heat No. | ID NO. | Physical Properties Tensile Test GL=50 mm | | | | | Chemical Composition (%) | | | | | | | |
|-------------------|-----|------------------|-------|----------|---------------|-------------------------------------------------|------------------------------|-------------|-----|-----|-----------------------------|------------|------------|------------|------------|------------|------------|-----------|
| | | KGS | LBS | | | Y.S. (N/mm ²) | T.S. (N/mm ²) | E.L. (%) | HRB | HV | C x100 | Si x100 | Mn x100 | P x1000 | S x1000 | Ni x100 | Cr x100 | N x100 |
| | | | | | | | | | | | | | | | | | | |
| 304 2B PI | 1 | 1,560 | 3,660 | YU257949 | 98S66530-1 | 314 | 677 | 57 | 86 | 176 | 4.6 | 55 | 116 | 39 | 3 | 809 | 1813 | 2.7 |
| 14GA X 48" X 96" | 1 | 1,635 | 3,605 | YU257949 | 98S66530-2 | 314 | 677 | 57 | 86 | 176 | 4.6 | 55 | 116 | 39 | 3 | 809 | 1813 | 2.7 |
| 16GA X 48" X 96" | 1 | 1,710 | 3,770 | YU162515 | 98S66092BB-2 | 298 | 624 | 57 | 79 | 152 | 5.1 | 46 | 110 | 36 | 3 | 804 | 1820 | 2.7 |
| 16GA X 48" X 120" | 1 | 1,665 | 3,671 | YU162515 | 98S66092BB-6 | 298 | 624 | 57 | 79 | 152 | 5.1 | 46 | 110 | 36 | 3 | 804 | 1820 | 2.7 |
| 18GA X 48" X 96" | 1 | 1,748 | 3,854 | YU257404 | 98S661403B-1 | 295 | 657 | 55 | 85 | 172 | 4.6 | 51 | 125 | 36 | 6 | 811 | 1830 | 2.9 |
| 18GA X 48" X 120" | 1 | 1,683 | 3,666 | YU257404 | 98S661403B-4 | 295 | 657 | 55 | 85 | 172 | 4.6 | 51 | 125 | 36 | 6 | 811 | 1830 | 2.9 |
| 304 NO.4 LASER | | | | | | | | | | | | | | | | | | |
| 18GA X 48" X 96" | 1 | 1,647 | 3,631 | YU161974 | 98S661397B-13 | 303 | 680 | 53 | 85 | 171 | 4 | 51 | 124 | 39 | 2 | 802 | 1811 | 2.6 |
| 18GA X 48" X 120" | 1 | 1,614 | 3,558 | YU161974 | 98S661397B-14 | 303 | 680 | 53 | 85 | 171 | 4 | 51 | 124 | 39 | 2 | 802 | 1811 | 2.6 |
| 16GA X 48" X 96" | 1 | 1,721 | 3,794 | YU162547 | 98S66084B-12 | 282 | 662 | 56 | 82 | 160 | 4.4 | 47 | 119 | 32 | 10 | 804 | 1817 | 2.5 |
| 16GA X 48" X 120" | 1 | 1,635 | 3,605 | YU162847 | 98S66084B-13 | 282 | 662 | 56 | 82 | 160 | 4.4 | 47 | 119 | 32 | 10 | 804 | 1817 | 2.5 |

REMARK: NO MERCURY CONTAMINATION
Bend test: good for all Heat NO.

WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS
BEEN MADE IN ACCORDANCE WITH THE RULES OF THE MILL CERTIFICATE

YIEH MAU CORP.

Lin Kuo-hsing
Manager of Quality Assurance Section

SHANXI TAIGANG STAINLESS STEEL CO., LTD

No. 2 JIANGCAOFENG, TAIYUAN, SHANXI, P. R. CHINA
TEL: +86-351-3013328 FAX: +86-351-3017816
Http://www.tisco.com.cn
E-mail: tgbxg@tisco.com.cn

Customer: Global Stainless
Product: COIL
Heat No.: A1000241
Batch No.: KA00133070J10
Dimensions (inch): 16GA*48" *C
Edge Weight (Pound): 13911

Contract No.: AD912ACB001
Date: 2010/03/30
Marking: Shanxi Taigang Stainless Steel CO., LTD

Heat Treatment: Solution 1050° 1190 quenching in water
Standard: ASTM A240/A240M
Surface: 2B
Material: 304
Certificate No.: ADB1000978

Inspector's stamp: [Stamp]

Chemical Composition %
C: 0.031, Si: 0.38, Mn: 1.26, P: 0.024, S: 0.001, Cr: 18.47, Ni: 8.17, Cu: 0.037, N: 0.037, Mo: 0.037, Ti: 0.037

Test Results:
Tensile: 79570360-T, 650
Proof Stress: Rp0.2 MPa, 253
Proof Stress: Rp1.0 MPa
Elongation: A80(%), A50(%), HB, HRB, HV
Hardness: 80.5 80.0

Notes:
1. The quality management system is in conformity with ISO9001:2000 standard.
2. The environmental management system is in conformity with ISO14001:2004 standard.
3. No weld repair! Free of mercury!
4. Surface and dimensions control: O.K.
5. Intergranular corrosion test: NO CRACK.
6. We hereby certify that the material described above has been detected and has no radiation contamination.
7. ASTM A240/A240M-08

Place: Taiyuan
Work Inspector: [Signature]

MILL TEST CERTIFICATE



Certificate of Mill Test Results

MILL TEST CERTIFICATE



| | | | | | |
|---------------------------------------------------------------|------------------------------------|--|--|--|--|
| SHANXI TAIGANG STAINLESS STEEL CO., LTD | | | | | |
| No. 2 JIANGCAOPING, TAIYUAN, SHANXI, P. R. CHINA | | | | | |
| TEL: +86-351-3013328 FAX: +86-351-3017816 | | | | | |
| http://www.tisco.com.cn | | | | | |
| lgbx@tisco.com.cn | | | | | |
| Certificate No. | BBA100478A | | | | |
| Material | 304L | | | | |
| Surface | No. 1 | | | | |
| Standard | ASTM A240/A240M | | | | |
| Heat Treatment | Solution 1050° F/560° C for 1 hour | | | | |

[illegible]

| | ITEM NO. | COLOR | SERIAL NO. | QUANTITY | DIMENSIONS (mm) | EEDGE | WEIGHT (kg) |
|--------|----------|----------------|------------|----------|-----------------|-------|-------------|
| 11 | AJ002679 | FAC016550KX20 | 80664170 | J | Q .35xI8x+C | slll | B920 |
| 12 | AZ002880 | FA00766490KX20 | 80664169 | - J | Q .35xI8x+C | Alll | 9T90 |
| TOTAL: | | | | I2 | | | 118230 |

[illegible]

| Test | No. | Temp | Proof Stress | Proof Stress | Proof Stress | ABO (%) | A (%) | ABO (%) | HS | Hardness |
|------|------|------|--------------|--------------|--------------|---------|-------|---------|------|----------|
| None | None | None | Rp0.2 MPa | Rp0.2 MPa | Rp0.2 MPa | ABO (%) | A (%) | ABO (%) | HS | Hardness |
| None | None | None | 630 | 300 | 296 | 58.0 | 58.0 | 58.0 | 81.0 | 82.5 |

1. The quality management system is in conformity with ISO9001:2000 standard.
2. The environmental management system is in conformity with ISO14001:2004 standard.
3. No weld repair; Free of leakage;
4. Surface and dimensional control: O.K.
5. Intergranular corrosion test: NO CRACK.

6. No worthy certify that the material described above has been detected and has no



675 STATE FAIR BLVD.
SOLVAY, NY 13209

S
O
L
D
SOUTHFIELD, MI 48034
22355 WEST ELEVEN MILE ROAD
COPPER & BRASS SALES INC

CUSTOMER ORDER NO 5400077708-R02

CUSTOMER REQ NO

DISTRICT
L HINMAN

SHIPPED FROM
SYRACUSE

S
H
I
P
T
O

COPPER & BRASS SALES
8001 THYSSENKRUPP PARKWAY
NORTHWOOD, OH 43619

OUR ORDER NO. P5-16724-0-01
DATE 03/14/11

Certificate of Test

HEAT NO. A11423
QUANTITY 1
HEAT NO. 1879 # A11423

MECHANICAL PROPERTIES

TENSILE PSI YLD.2&PSI 55,280 50.9
RED/AREA% HARDNESS 66.1 BHN 187

MATERIAL IS ROHS/WEEE COMPLIANT.
MATERIAL ANNEALED AT 1950 DEG. F. - WATER QUENCHED.
ELECTRIC FURNACE AOD MELTED

CHEMICAL ANALYSIS

CRU 303 CDA SSREC000034
ASTM-A582-05 AMS-5640U TYPE 2 ASTM-A484-09 ASTM-A320-08
SIZE 3 X 1

THANK YOU FOR SELECTING A QUALITY PRODUCT MELTED AND MANUFACTURED WITH PRIDE AT CRUCIBLE INDUSTRIES LLC LOCATED IN SOLVAY, NY 13209, USA.
WE PROVIDE MATERIAL THAT IS FREE FROM MERCURY CONTAMINATION AND RADIATION AT THE TIME OF SHIPMENT. NO WELD REPAIR IS DONE. CRUCIBLE INDUSTRIES LLC HOLDS A CERTIFICATE OF REGISTRATION TO ISO 9001:2008, PRESSURE EQUIPMENT DIRECTIVE (PED) 97/23/EC 7/2 ANNEX 1, PARAGRAPH 4.3 AND WORKS UNDER THE GUIDELINES OF NCA 3800 USING AN ANNUAL DATED 1/18/11. WE ARE COMPLIANT WITH EU DIRECTIVE 2002/95/EC (ROHS), REACH, EN 10204 2004 3.1, AND DFARS 252-225.7014 ALT.1, & 225. 7001, 7002 - 3 (b) (1) MATERIAL IS OF NAFTA ORIGIN. MATERIAL TESTING IS PERFORMED ON A PROLONGATION OF THE BAR, IN COMPLIANCE WITH INDUSTRY STANDARDS ASTM A370, E8, E10, E18, E23, E45, E112, E381, E604, E572, E1019, AND E1086. THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES, INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47, PRODUCTS, TECHNICAL DATA, TECHNOLOGY, AND SERVICES OF CRUCIBLE INDUSTRIES LLC ARE SUBJECT TO U.S. EXPORT CONTROLS UNDER THE APPLICABLE LAWS AND REGULATIONS OF THE UNITED STATES.

THE ABOVE MATERIAL WAS MANUFACTURED AND TESTED ACCORDANCE WITH ABOVE SPECIFICATIONS AND IS IN CONFORMANCE WITH THE SPECIFICATION REQUIREMENTS.
CRUCIBLE INDUSTRIES LLC

CERTIFIED BY

William Mastroe

WILLIAM MASTROE - MANAGER QUALITY CONTROL & LABS

COPPER AND BRASS SALES

MATERIAL TYPE

STAINLESS STEEL

AISI SERIES

200 300 400

AND

PRECIPIT HARDENING GRADES

"WARNING"

INHALATION OF FUMES, FRESHLY GENERATED BY THE WELDING OF STAINLESS STEEL CONTAINING ONE OR MORE OF THE FOLLOWING INGREDIENTS, ZINC, MAGNESIUM OR COPPER ARE KNOWN TO CAUSE METAL FUME FEVER. INHALATION OF DUST OR FUME FROM STAINLESS STEEL CONTAINING ONE OR MORE OF THE FOLLOWING INGREDIENTS, ALUMINUM, IRON, MANGANESE, SELENIUM, OR TIN, HAS ALSO BEEN REPORTED TO CAUSE METAL FUME FEVER AND MAY CAUSE IRRITATION TO THE RESPIRATORY TRACT AND/OR AGGRAVATE PRE-EXISTING CONDITIONS. TARGET ORGAN IS PRIMARILY THE LUNG.

THIS PRODUCT MAY CONTAIN CHROMIUM, NICKEL OR COBALT. EXPOSURE TO DUST OR FUME MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS AND KIDNEY AND LIVER DAMAGE. UNDER HIGH TEMPERATURES, HEXAVALENT CHROMIUM MAY BE REPRODUCED, IF IN THE INSOLUBLE FORM. IT IS A CONFIRMED HUMAN CARCINOGEN. THIS PRODUCT MAY ALSO CONTAIN NICKEL AND COBALT. INHALATION OF NICKEL OR COBALT DUST OR FUME MAY RESULT IN INFLAMMATION OF THE RESPIRATORY TRACT. NICKEL AND COBALT HAVE BEEN IDENTIFIED AS POTENTIAL HUMAN CARCINOGENS.

IF COATED WITH OIL, MAY CAUSE SKIN IRRITATION/DERMATITIS BY CONTACT. WELDING FUME IS LISTED AS A POSSIBLE CARCINOGENIC TO HUMANS.

READ THE STAINLESS STEEL MATERIAL SAFETY DATA SHEET (MSDS) ON FILE WITH YOUR EMPLOYER BEFORE WORKING WITH THIS MATERIAL.

* If processing or recycling produces particulate, use exhaust ventilation or other controls designed to prevent exposure to workers. Examples of such activities include melting, welding, grinding, abrasive sawing, sanding and polishing. Any activity which abrades the surface of this material can generate airborne particulate. Use appropriate NIOSH approved respiratory protection (P95, P100 for lead with, quantitative fit testing required) if exposures exceed the permissible limits.

* The Occupational Safety and Health Administration (OSHA) have set mandatory limits on occupational exposures. * Stainless steel, in solid form and as contained in finished products presents no special health risk.

* Sold for manufacturing purposes only. This product can be recycled; contact your sales representative.

The Occupational Safety and Health Administration require employers to provide training in the proper use of this product.

No: PEC 717893
Ship Date 28 Jun 11 at 14:31 From PFW

Ship Date 28 Jun 11 at 14:31 From PFW
Via VIM TRANSFER TRUCK
FOB CONCORD
Prt PREPAID
Route 0 - 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship Date 28 Jun 11 at 14:31 From PFW
Via VIM TRANSFER TRUCK
FOB CONCORD
Prt PREPAID
Route 0 - 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship Date 28 Jun 11 at 14:31 From PFW
Via VIM TRANSFER TRUCK
FOB CONCORD
Prt PREPAID
Route 0 - 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship Date 28 Jun 11 at 14:31 From PFW
Via VIM TRANSFER TRUCK
FOB CONCORD
Prt PREPAID
Route 0 - 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship Date 28 Jun 11 at 14:31 From PFW
Via VIM TRANSFER TRUCK
FOB CONCORD
Prt PREPAID
Route 0 - 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship Date 28 Jun 11 at 14:31 From PFW
Via VIM TRANSFER TRUCK
FOB CONCORD
Prt PREPAID
Route 0 - 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship Date 28 Jun 11 at 14:31 From PFW
Via VIM TRANSFER TRUCK
FOB CONCORD
Prt PREPAID
Route 0 - 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship Date 28 Jun 11 at 14:31 From PFW
Via VIM TRANSFER TRUCK
FOB CONCORD
Prt PREPAID
Route 0 - 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship Date 28 Jun 11 at 14:31 From PFW
Via VIM TRANSFER TRUCK
FOB CONCORD
Prt PREPAID
Route 0 - 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship Date 28 Jun 11 at 14:31 From PFW
Via VIM TRANSFER TRUCK
FOB CONCORD
Prt PREPAID
Route 0 - 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

B I L L O F L A D I N G

Ship From: THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-345358 - 1 Your PO # 14379
ALUMINUM FLAT BAR 6061-T6511
Heat Number 208808
Tag No 208808
Quantity 60 FT
PCS 5
Wt LBS 79
MTR

2) Our Order PEC-345358 - 2 Your PO # 14379
ALUMINUM FLAT BAR 6061-T6511
Heat Number 201107796
Tag No 208809
Quantity 12 FT
PCS 1
Wt LBS 100
MTR

3) Our Order PEC-345358 - 3 Your PO # 14379
ALUMINUM SHEET 6061 T6
Heat Number 18310/01
Tag No 209010
Quantity 64.00 SFT
PCS 2
Wt LBS 112
MTR

4) Our Order PEC-345358 - 4 Your PO # 14379
STAINLESS STEEL SHEET 304-2B
Heat Number YU257404
Tag No 209011
Quantity 160.00 SFT
PCS 4
Wt LBS 321
MTR

5) Our Order PEC-345358 - 5 Your PO # 14379
STAINLESS STEEL SHEET 304-2B
Heat Number A1000241
Tag No 209013
Quantity 200.00 SFT
PCS 5
Wt LBS 501
MTR

Page: 1 ... Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE
RAPPORTÉES IMMÉDIATEMENT
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION
NOICTION
TVA/OST# 1012327881 10001 TPS/GST 1V/HST # 140223934 RT0001

DATE

No: PEC 717893

B I L L O F L A D I N G

Ship Date 28 Jun 11 at 14:31 From PFW
Via VIM TRANSFER TRUCK
FOB CONCORD
Prt PREPAID
Route 0 - 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

6) Our Order PEC-345358 - 6 Your PO # 14379
STAINLESS STEEL FLAT BAR 304L SLIT/EDGED
Heat Number
Tag No 208810
Quantity 24 FT
PCS 2
MTR

WT LBS 81
LBS 1194
Tags 6
PCS 19
TOTAL:

*** Chemical Analysis ***

Heat Number
18310/01
201107796
2BN859
A1000241
A2002679
YU257404

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.
ATTN: CHANTAL/LINDA
** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 1 BDL, 1 SKID G.W. 1335 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT. * ** 9:00 AM TO 4:00 PM **
**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT

Page: 2 ... Continued

1 BDL MTR

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE
RAPPORTEES IMMEDIATEMENT
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
MARCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

RECU EN BONNE CONDITION / RECEIVED IN GOOD CONDITION
TVA/CST# 1017827981 T0001 TFS/GST TVH/HST # 140223934 RT3001

DATE

DATE

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY.
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
MARCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

Page: 1 ... Continued

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT. * ** 9:00 AM TO 4:00 PM ***
**** TEL. 800-926-2600 ****

TOTAL 1 BAR G.W. 114 LBS

*****ADD ON TO 345358 SUR-CHARGE PAID *****
MILL TEST REPORT
TS, PACKING SLIPS ARE TO SENT WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR TO SHIPPING.
ATTN: CHANTAL/LINDA
** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

Heat Number
A11423

*** Chemical Analysis ***

CA1104130

TOTAL:

Tags 1
PCS 1
LBS 114

Quantity 12 FT
PCS 1
WT LBS 114

MTR

B I L L O F L A D I N G
1) Our order PEC-345576- 1 Your PO # 14379
STAINLESS STEEL FLAT BAR 303CD
1.00" X 3.00" X 144.0000"
Heat Number
Tag No 494393
A11423

Ship To:
(1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5G6
Tel: 905 669 9444 Fax: 9057389033

Ship Date 30 Jun 11 at 14:38 From PFW
No: PEC 718137
Via VIM TRANSFER TRUCK
FOB CONCORD
Frt PREPAID
Route 0 - 0 Manifest
Vehicle Trailer
SIP STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

B I L L O F L A D I N G

42

Purchase Order ID P014379

Purchase Order Date 6/27/2011

PO Print Date 6/27/2011

Page Number 1 of 3

PO REPRINT

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

DART
aerospace

VC-COP001

Order From :
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275, POSTAL "A"
TORONTO, ON M5W 5V8
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

905 669 9444
905 738 9033

Buyer

Requisition Nbr

Tax Resale Nbr

10127-2607

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To : DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

RECEIVED
6/27/2011

Line Nbr

Reference

Revision ID

Vendor Part Number

M303B1.000X03.000

6/11/04/30

Description/
Mfg ID

303 BAR 1" X 3'

7/7/2011

Yes

12.00 Yours ppd

\$61.5000

\$738.00

Special Inst:

MATERIAL: AISI 303 SS BAR AS

PER ASTM A582

NOTE: AISI 304/316 NOT

ACCEPTABLE

6/30/2011

Yes

60.00 Yours ppd

\$2.9200

\$175.20

Special Inst:

MATERIAL: 6061-

T6/T651/T6510/T6511/T62

ALUMINUM BAR

AS PER QQ-A-225/8 OR AMS-QQ-A-

225/8 OR AMS 4117/4128

4115/4116 OR QQ-A-200/8 OR AMS-

QQ-A-200/8 OR AMS 4160 OR

ASTM B211 OR ASTM B221

6061-T6 Bar 2.00 X 3.50

6/30/2011

Yes

12.00 Yours ppd

\$18.0900

\$217.08

Special Inst:

AS ABOVE

6/27/2011

MATERIAL CERTIFICATION
READ UPON DELIVERY

DART
 Dart Aerospace Ltd.
 1270 Aberdeen Street
 Hawkesbury, ON K6A 1K7
 Tel: 613 632 9577
 Fax: 613 632 1053

Purchase Order ID PO14379

Purchase Order Date 6/27/2011
 PO Print Date 6/27/2011

Page Number 2 of 3

PO REPRINT

Order From : VC-COP001

THYSSENKRUPP MATERIALS CA LTD
 O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
 TORONTO, ON M5W 5V8
 CA

Contact Name
 Vendor Phone 905 669 9444
 Vendor Fax 905 738 9033
 Vendor Account Nbr

Buyer Chantal Lavoie
 Requisition Nbr 10127-2607
 Tax Resale Nbr Net 30
 Terms CAD
 Currency FOB
 Destination-Collect

M6061T6S.125

6061-T6 .125 Sheet

6/30/2011

64.00

Yours ppd

\$5.4688

\$350.00

Special Inst:

MATERIAL: 6061-T6/T62

ALUMINUM SHEET
 AS PER QQ-A-250/11 OR AMS-QQ-A-
 250/11 OR
 AMS 4025 OR AMS 4027 OR ASTM
 B209

304/316 .050 Sheet

6/30/2011

160.00

Yours ppd

\$4.3812

\$700.99

Special Inst:

MATERIAL: AISI 304/316 SS SHEET

ANNEALED 2B FINISH
 AS PER MIL-S-5059 OR AMS 5513
 (304)
 OR AMS 5524 (316) OR ASTM A240
 OR
 ASME SA240

304/316 Sheet .063

6/30/2011

200.00

Yours ppd

\$5.1500

\$1,030.00

Special Inst:

AS ABOVE

304 BAR .250 x 4.00

6/30/2011

24.00

Yours ppd

\$11.3000

\$271.20

Special Inst:

MATERIAL: AISI 304/316 SS BAR

OR AISI 304/316
 SS PLATE AS PER ASTM A276 OR
 ASTM A240
 NOTE: 303 AISI 303 NOT
 ACCEPTABLE

MATERIAL CERTIFICATION
 REQ'D UPON DELIVERY

6/27/2011

PO REPRINT

Purchase Order ID PO14379

Purchase Order Date 6/27/2011

PO Print Date 6/27/2011

Page Number 3 of 3

Dart Aerospace Ltd
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

Order From :

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275, POSTAL "A"
TORONTO, ON M5W 5V8
CA

Contact Name

Vendor Phone 905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

10127-2607

Tax Resale Nbr

Net 30

Terms

CAD

Currency

FOB

Destination-Collect

M7075T73R1.000

7075-T73 Rd Bar 1.00

7/7/2011

Yes

24.00

Yours pld

\$8.7500

\$210.00

Special Inst:

MATERIAL: 7075-T73 OR 7075-T7351/T73510/T73511 ROUND BAR
AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9

PO Total:

\$3,692.48

MATERIAL CERTIFICATION
REQD UPON DELIVERY

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 3

Change Date: 6/27/2011